

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
 Product name : Daily System Clean
 Type of product : Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
 Industrial/Professional use spec : For professional use only
 Use of the substance/mixture : Cleaning agent

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

LVL technologies GmbH & Co. KG
 Theodor-Storm-Straße 17
 74564 Crailsheim - Deutschland
 T +49 (0) 7951 95613 - 20 - F +49 (0) 7951 95613 - 33
info@lvl-technologies.com - <https://www.lvl-technologies.com/>

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Austria	Vergiftungsinformationszentrale	Stubenring 6 1010 Wien	+43 1 406 43 43	
Germany	Giftinformationszentrum-Nord der Länder Bremen, Hamburg, Niedersachsen und Schleswig-Holstein (GIZ-Nord) Universitätsmedizin Göttingen - Georg-August-Universität	Robert-Koch Straße 40 37075 Göttingen	+49 (0) 551 19240	
Switzerland	Tox Info Suisse	Freiestrasse 16 8032 Zürich	145	(from abroad: +41 44 251 51 51) non urgent inquiry: +41 44 251 66 66

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Corr. 1B H314

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) :

Danger

Hazardous ingredients :

didcyldimethylammonium chloride

Hazard statements (CLP) :

H314 - Causes severe skin burns and eye damage.

Daily System Clean

Safety Data Sheet

according to Regulation (EU) 2015/830

Precautionary statements (CLP)

: P260 - Do not breathe spray, vapours, mist.
P280 - Wear protective gloves, protective clothing, eye protection.
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments

: Cleaning agent for daily use in all lab automation systems.
Aqueous weak acidic solution of light red colour; contains quaternary ammonium compound, non-ionic tensides, citric acid, builder and support-materials.

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
citric acid	(CAS-No.) 77-92-9 (EC-No.) 201-069-1 (REACH-no) 01-2119457026-42	25-50	Eye Irrit. 2, H319
didecyldimethylammonium chloride	(CAS-No.) 7173-51-5 (EC-No.) 230-525-2 (EC Index-No.) 612-131-00-6	2,5-10	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314
oxoalcohole, ethoxylated	(CAS-No.) 69011-79-6	< 2.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Medical personnel should be made aware of substance(s) involved and take measures for self protection. If unconscious place in recovery position and seek medical advice.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Respiratory arrest: artificial respiration or oxygen. Obtain medical attention if breathing difficulty persists.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : The product is not flammable. Adapt extinguishing media to the environment. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Strong water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released. Nitrogen oxides.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

Other information : Do not allow run-off from fire fighting to enter drains or water courses.

Daily System Clean

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Use appropriate ventilation. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Evacuate personnel to a safe area.

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe spray, vapours, mist.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment.

6.2. Environmental precautions

Do not discharge into drains or the environment. In case of contamination of soil or water bodies notify the competent authorities.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak without risks if possible.

Methods for cleaning up : Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Other information : Shovel into suitable and closed container for disposal. Dispose of in accordance with relevant local regulations.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe spray, vapours, mist. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool. Keep container tightly closed. Protect from light. Do not store in aluminium, galvanized or other corrodable containers. Keep away from (strong) acids.

Heat and ignition sources : Store away from direct sunlight or other heat sources.

Information on mixed storage : Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

Cleaning agent.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Chemically resistant protective gloves	Nitrile rubber (NBR), Latex	6 (> 480 minutes)			EN ISO 374

Eye protection:

Protective goggles. EN 166

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Device	Filter type	Condition	Standard
In case of insufficient ventilation, wear suitable respiratory equipment	ABEK		EN 14387

Daily System Clean

Safety Data Sheet

according to Regulation (EU) 2015/830

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

Consumer exposure controls:

Avoid contact with skin, eyes and clothing. Use barrier cream. Apply emollient cream. Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light red.
Odour	: odourless.
Odour threshold	: No data available
pH	: 3 Concentrate
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: 115 °C
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.05 g/cm ³
Solubility	: Water: completely soluble
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

May react violently with acids. Attacks many metals forming flammable/explosive gas (HYDROGEN!). Ammonia.

10.4. Conditions to avoid

Keep away from heat.

10.5. Incompatible materials

Acids. metals. Light metals. ammonium salts.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Daily System Clean

Safety Data Sheet

according to Regulation (EU) 2015/830

citric acid (77-92-9)

LD50 oral	5400 mg/kg bodyweight (Equivalent or similar to OECD 401, Mouse, Male / female, Experimental value, Oral, 10 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))

Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 3 Concentrate
Serious eye damage/irritation	: Serious eye damage, category 1, implicit pH: 3 Concentrate
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Before neutralisation, the product may represent a danger to aquatic organisms.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified

citric acid (77-92-9)

LC50 fish 1	440 - 760 mg/l (Equivalent or similar to OECD 203, 48 h, Leuciscus idus, Static system, Fresh water, Experimental value, Nominal concentration)
-------------	---

12.2. Persistence and degradability

citric acid (77-92-9)

Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.42 g O ₂ /g substance
Chemical oxygen demand (COD)	0.728 g O ₂ /g substance
ThOD	0.686 g O ₂ /g substance
BOD (% of ThOD)	0.89 (20 day(s), Literature study)

12.3. Bioaccumulative potential

citric acid (77-92-9)

BCF other aquatic organisms 1	3.2 (Other, Calculated value)
Log Pow	-1.8 - -1.55 (Experimental value)
Bioaccumulative potential	Not bioaccumulative.

12.4. Mobility in soil

citric acid (77-92-9)

Ecology - soil	No (test) data on mobility of the substance available.
----------------	--

12.5. Results of PBT and vPvB assessment

Component

citric acid (77-92-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
-----------------------	---

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
European List of Waste (LoW) code	: 20 01 29* - detergents containing dangerous substances






Daily System Clean

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 14: Transport information


In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 3265	UN 3265	UN 3265	UN 3265	UN 3265
14.2. UN proper shipping name				
CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (didecyldimethylammonium chloride)	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (didecyldimethylammonium chloride)	Corrosive liquid, acidic, organic, n.o.s. (didecyldimethylammonium chloride)	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (didecyldimethylammonium chloride)	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (didecyldimethylammonium chloride)
14.3. Transport hazard class(es)				
8	8	8	8	8
				
14.4. Packing group				
II	II	II	II	II
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR) : C3
 Limited quantities (ADR) : 1I
 Excepted quantities (ADR) : E2
 Transport category (ADR) : 2
 Orange plates :



Tunnel restriction code (ADR) : E

Transport by sea

No data available

Air transport

PCA Excepted quantities (IATA) : E2
 PCA limited quantity max net quantity (IATA) : 0.5L

Inland waterway transport

Classification code (ADN) : C3
 Limited quantities (ADN) : 1 L
 Excepted quantities (ADN) : E2

Rail transport

Classification code (RID) : C3
 Limited quantities (RID) : 1L
 Excepted quantities (RID) : E2
 Transport category (RID) : 2

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

Daily System Clean

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Substances subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals: Didecyldimethylammonium chloride (7173-51-5)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Detergent Regulation : Ingredient data sheet:		
Component	CAS-No.	%
citric acid	77-92-9	>=10%
didecyldimethylammonium chloride	7173-51-5	1 - 10%
oxoalcohol, ethoxylated	69011-79-6	1 - 10%

15.1.2. National regulations

Germany

Reference to AwSV

: Water hazard class (WGK) 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)

Storage class (LGK)

: LGK 8B - Non-combustible corrosive substances

Employment restrictions

: Observe restrictions according Act on the Protection of Working Mothers (MuSchG)
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.